

MetroCount Traffic Executive Weekly Vehicle Counts (Virtual Week)

VirtWeeklyVehicle-79 -- English (ENA)

Datasets:

Site: [MHR0525] 190 Marys Hope Rd, Rosetta TAS 7010
Attribute: Marys Hope Rd
Direction: 5 - South bound A>B, North bound B>A. Lane: 2
Survey Duration: 15:00 Tuesday, 27 May 2025 => 10:18 Friday, 6 June 2025,
Zone:
File: MHR0525 0 2025-06-06 1019.EC2 (Plus)
Identifier: QV6866CT MC5900-X13 (c)MetroCount 09Nov16
Algorithm: Factory default axle (v5.06)
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Filter time: 15:00 Tuesday, 27 May 2025 => 10:18 Friday, 6 June 2025 (9.80476)
Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12
Speed range: 10 - 160 km/h.
Direction: North, East, South, West (bound), P = North, Lane = 0-16
Separation: Headway > 0 sec, Span 0 - 100 metre
Name: Default Profile
Scheme: Vehicle classification (AustRoads94)
Units: Metric (metre, kilometre, m/s, km/h, kg, tonne)
In profile: Vehicles = 31059 / 31067 (99.97%)

Weekly Vehicle Counts (Virtual Week)

VirtWeeklyVehicle-79

Site: MHR0525.2.3SN
Description: 190 Marys Hope Rd, Rosetta TAS 7010
Filter time: 15:00 Tuesday, 27 May 2025 => 10:18 Friday, 6 June 2025
Scheme: Vehicle classification (AustRoads94)
Filter: Cls(1-12) Dir(NESW) Sp(10,160) Headway(>0) Span(0 - 100) Lane(0-16)

	Mon	Tue	Wed	Thu	Fri	Sat	Sun	Averages	
								1 - 5	1 - 7
Hour									
0000-0100	7.0	4.0	5.0	8.0	11.0	10.0	11.0	7.4	8.0
0100-0200	2.0	4.0	9.0	4.5	7.5	10.0	6.0	6.0	6.4
0200-0300	8.0	6.0	5.0	5.0	6.5	11.0	7.0	5.9	6.5
0300-0400	4.0	3.0	3.5	3.5	5.5	3.0	5.0	4.0	4.0
0400-0500	11.0	6.0	7.0	8.5	8.5	12.0	6.0	8.1	8.3
0500-0600	23.0	17.0	25.5	24.0	24.5	13.0	9.0	23.5	21.0
0600-0700	81.0	82.0	88.5	81.0	77.0	30.0	36.0	82.0	72.2
0700-0800	237.0	252.0	236.0	219.5	172.0	62.0	50.0	218.0	185.6
0800-0900	344.0	293.0	308.0	325.5	177.5	122.0	88.0	282.4	246.9
0900-1000	257.0	222.0	230.0	220.5	89.5	152.0	165.0	194.9	187.6
1000-1100	241.0	171.0	204.0	232.5	94.5	232.0	240.0	184.3	194.6
1100-1200	262.0	208.0	223.0	235.5	204.0	280.0	254.0	227.3	236.1
1200-1300	248.0	210.0	206.5	209.0	201.0	229.0	301.0	212.9	224.4
1300-1400	229.0	209.0	232.5	229.5	224.0	243.0	276.0	226.6	233.9
1400-1500	260.0	240.0	288.5	260.0	289.0	243.0	267.0	269.4	266.2
1500-1600	266.0	321.5	317.5	315.5	307.0	266.0	226.0	310.3	297.4
1600-1700	294.0	343.5	330.5	359.0	373.0	225.0	214.0	341.6	317.2
1700-1800	236.0	272.5	278.0	265.0	263.0	182.0	159.0	266.3	247.1
1800-1900	154.0	153.0	178.5	175.0	180.0	144.0	102.0	168.4	159.3
1900-2000	115.0	103.5	112.5	105.0	111.0	99.0	80.0	108.5	104.7
2000-2100	55.0	70.5	78.5	78.0	70.0	57.0	53.0	72.4	68.9
2100-2200	46.0	44.0	47.0	62.0	69.0	69.0	43.0	52.6	53.3
2200-2300	18.0	32.5	35.0	32.5	40.0	35.0	25.0	32.3	31.8
2300-2400	17.0	13.5	16.5	23.0	32.0	32.0	18.0	19.4	20.5
Totals									
0700-1900	3028.0	2895.5	3033.0	3046.5	2574.5	2380.0	2342.0	2902.1	2796.4
0600-2200	3325.0	3195.5	3359.5	3372.5	2901.5	2635.0	2554.0	3217.6	3095.5
0600-0000	3360.0	3241.5	3411.0	3428.0	2973.5	2702.0	2597.0	3269.3	3147.8
0000-0000	3415.0	3281.5	3466.0	3481.5	3037.0	2761.0	2641.0	3324.1	3202.0
AM Peak	0800	0800	0800	0800	1100	1100	1100		
	344.0	293.0	308.0	325.5	204.0	280.0	254.0		
PM Peak	1600	1600	1600	1600	1600	1500	1200		
	294.0	343.5	330.5	359.0	373.0	266.0	301.0		

* - No data.

MetroCount Traffic Executive
Speed Statistics by Hour

SpeedStatHour-74 -- English (ENA)

Datasets:

Site: [MHR0525] 190 Marys Hope Rd, Rosetta TAS 7010
Attribute: Marys Hope Rd
Direction: 5 - South bound A>B, North bound B>A. Lane: 2
Survey Duration: 15:00 Tuesday, 27 May 2025 => 10:18 Friday, 6 June 2025,
Zone:
File: MHR0525 0 2025-06-06 1019.EC2 (Plus)
Identifier: QV6866CT MC5900-X13 (c)MetroCount 09Nov16
Algorithm: Factory default axle (v5.06)
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Filter time: 15:00 Tuesday, 27 May 2025 => 10:18 Friday, 6 June 2025 (9.80476)
Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12
Speed range: 10 - 160 km/h.
Direction: North, East, South, West (bound), P = North, Lane = 0-16
Separation: Headway > 0 sec, Span 0 - 100 metre
Name: Default Profile
Scheme: Vehicle classification (AustRoads94)
Units: Metric (metre, kilometre, m/s, km/h, kg, tonne)
In profile: Vehicles = 31059 / 31067 (99.97%)

Speed Statistics by Hour

SpeedStatHour-74

Site: MHR0525.2.3SN
Description: 190 Marys Hope Rd, Rosetta TAS 7010
Filter time: 15:00 Tuesday, 27 May 2025 => 10:18 Friday, 6 June 2025
Scheme: Vehicle classification (AustRoads94)
Filter: CIs(1-12) Dir(NESW) Sp(10,160) Headway(>0) Span(0 - 100) Lane(0-16)

Vehicles = 31059

Posted speed limit = 50 km/h, Exceeding = 23924 (77.03%), Mean Exceeding = 57.27 km/h

Maximum = 109.0 km/h, Minimum = 10.1 km/h, Mean = 54.5 km/h

85% Speed = 61.38 km/h, 95% Speed = 66.06 km/h, Median = 54.36 km/h

20 km/h Pace = 45 - 65, Number in Pace = 26849 (86.45%)

Variance = 53.01, Standard Deviation = 7.28 km/h

Hour Bins (Partial days)

Time	Bin	Min	Max	Mean	Median	85%	95%	>PSL 50 km/h
0000	80 0.258%	27.5	74.0	55.7	55.8	67.8	72.7	56 70.00%
0100	64 0.206%	35.3	72.9	54.1	54.3	62.5	68.9	42 65.63%
0200	65 0.209%	21.4	97.9	55.6	56.5	62.1	73.9	50 76.92%
0300	40 0.129%	31.4	78.0	58.0	56.3	68.7	75.8	34 85.00%
0400	83 0.267%	28.4	70.2	52.2	52.4	58.7	66.5	53 63.86%
0500	210 0.676%	35.3	84.0	54.5	53.6	62.3	70.7	155 73.81%
0600	722 2.325%	23.0	86.1	54.8	54.9	61.8	67.1	551 76.32%
0700	1856 5.976%	10.1	79.6	54.2	54.2	60.8	65.2	1411 76.02%
0800	2469 7.949%	15.4	88.3	54.2	54.0	60.8	65.7	1885 76.35%
0900	1876 6.040%	22.7	89.0	54.2	54.0	60.7	65.2	1434 76.44%
1000	1946 6.265%	18.4	90.0	54.7	54.5	61.6	66.1	1508 77.49%
1100	2125 6.842%	18.0	101.6	54.9	54.7	61.4	65.9	1700 80.00%
1200	2020 6.504%	17.2	109.0	55.2	55.3	61.9	66.4	1609 79.65%
1300	2105 6.777%	18.2	93.8	55.2	55.1	62.1	66.8	1710 81.24%
1400	2396 7.714%	21.3	89.1	55.5	55.3	62.5	66.6	1929 80.51%
1500	2974 9.575%	17.6	79.9	55.1	55.1	61.7	66.1	2390 80.36%
1600	3172 10.21%	11.4	97.2	55.1	55.1	61.7	66.1	2544 80.20%
1700	2471 7.956%	11.6	104.6	53.4	53.3	59.6	63.7	1809 73.21%
1800	1593 5.129%	13.8	95.2	53.4	53.6	60.3	64.4	1138 71.44%
1900	1047 3.371%	11.7	92.9	53.4	53.3	61.0	66.2	729 69.63%
2000	689 2.218%	17.2	90.5	53.8	53.5	61.9	68.0	483 70.10%
2100	533 1.716%	22.0	83.0	52.8	52.7	60.3	67.3	359 67.35%
2200	318 1.024%	14.2	95.4	52.4	52.9	60.5	66.1	202 63.52%
2300	205 0.660%	15.3	106.0	53.5	53.3	61.6	68.1	143 69.76%
----	31059 100.0%	10.1	109.0	54.5	54.4	61.4	66.1	23924 77.03%

MetroCount Traffic Executive Weekly Vehicle Counts (Virtual Week)

VirtWeeklyVehicle-80 -- English (ENA)

Datasets:

Site: [MAR1608] 190 Marys Hope Rd Rosetta
Attribute: Marys Hope Rd
Direction: 1 - North bound, A trigger first. Lane: 0
Survey Duration: 17:00 Wednesday, 12 February 2020 => 13:40 Wednesday, 26 February 2020,
Zone:
File: MAR1608 0 2020-02-26 1340.EC0 (Plus)
Identifier: QV35XQ4D MC5900-X13 (c)MetroCount 09Nov16
Algorithm: Factory default axle (v5.06)
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Filter time: 17:00 Wednesday, 12 February 2020 => 13:40 Wednesday, 26 February 2020 (13.8614)
Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12
Speed range: 10 - 160 km/h.
Direction: North, East, South, West (bound), P = North, Lane = 0-16
Separation: Headway > 0 sec, Span 0 - 100 metre
Name: Default Profile
Scheme: Vehicle classification (AustRoads94)
Units: Metric (metre, kilometre, m/s, km/h, kg, tonne)
In profile: Vehicles = 39391 / 39405 (99.96%)

Weekly Vehicle Counts (Virtual Week)

VirtWeeklyVehicle-80

Site: MAR1608.0.ON

Description: 190 Marys Hope Rd Rosetta

Filter time: 17:00 Wednesday, 12 February 2020 => 13:40 Wednesday, 26 February 2020

Scheme: Vehicle classification (AustRoads94)

Filter: Cls(1-12) Dir(NESW) Sp(10,160) Headway(>0) Span(0 - 100) Lane(0-16)

	Mon	Tue	Wed	Thu	Fri	Sat	Sun	Averages	
								1 - 5	1 - 7
Hour									
0000-0100	7.5	4.0	3.0	4.0	5.5	20.5	22.0	4.8	9.5
0100-0200	4.0	4.5	1.5	5.5	5.0	8.0	14.0	4.1	6.1
0200-0300	3.0	4.0	2.5	3.5	6.5	4.5	7.0	3.9	4.4
0300-0400	5.0	4.0	2.0	4.5	2.5	5.5	9.0	3.6	4.6
0400-0500	9.0	9.5	5.0	6.5	9.0	5.0	11.0	7.8	7.9
0500-0600	24.5	20.5	12.5	35.5	29.0	9.5	11.0	24.4	20.4
0600-0700	88.5	80.0	43.5	80.0	77.0	36.0	23.5	73.8	61.2
0700-0800	225.0	239.0	116.0	234.0	216.5	50.0	41.5	206.1	160.3
0800-0900	325.5	311.0	162.5	304.5	320.0	99.5	80.0	284.7	229.0
0900-1000	176.5	192.0	105.5	203.5	194.5	165.5	136.5	174.4	167.7
1000-1100	156.0	174.5	88.0	174.5	190.0	216.5	171.0	156.6	167.2
1100-1200	181.0	189.5	96.0	178.5	197.5	242.0	212.5	168.5	185.3
1200-1300	200.5	174.0	103.0	180.5	205.0	241.0	214.5	172.6	188.4
1300-1400	192.5	206.0	87.0	177.5	194.0	232.0	197.0	171.4	183.7
1400-1500	230.0	257.0	203.0	232.0	244.0	222.5	192.5	236.6	227.6
1500-1600	297.5	266.0	309.0	286.0	291.5	221.0	210.0	287.9	265.6
1600-1700	293.5	145.0	309.0	330.5	327.5	214.5	211.5	278.0	258.0
1700-1800	284.5	171.0	302.5	305.0	292.0	190.5	186.0	271.0	247.4
1800-1900	166.5	96.5	198.0	198.5	204.0	172.5	127.5	172.7	166.2
1900-2000	106.0	67.5	131.5	139.5	154.5	120.5	98.0	119.8	116.8
2000-2100	91.0	52.0	104.5	97.5	111.5	94.5	76.0	91.3	89.6
2100-2200	53.0	29.5	59.5	57.0	74.0	64.0	49.5	54.6	55.2
2200-2300	24.5	10.5	28.0	25.0	44.5	42.0	24.5	26.5	28.4
2300-2400	13.0	8.0	14.5	14.0	24.0	32.5	12.0	14.7	16.9
Totals									
0700-1900	2729.0	2421.5	2079.5	2805.0	2876.5	2267.5	1980.5	2580.4	2446.4
0600-2200	3067.5	2650.5	2418.5	3179.0	3293.5	2582.5	2227.5	2919.9	2769.2
0600-0000	3105.0	2669.0	2461.0	3218.0	3362.0	2657.0	2264.0	2961.1	2814.4
0000-0000	3158.0	2715.5	2487.5	3277.5	3419.5	2710.0	2338.0	3009.7	2867.3
AM Peak	0800	0800	0800	0800	0800	1100	1100		
	325.5	311.0	162.5	304.5	320.0	242.0	212.5		
PM Peak	1500	1500	1600	1600	1600	1200	1200		
	297.5	266.0	309.0	330.5	327.5	241.0	214.5		

* - No data.

MetroCount Traffic Executive
Speed Statistics by Hour

SpeedStatHour-76 -- English (ENA)

Datasets:

Site: [MAR1608] 190 Marys Hope Rd Rosetta
Attribute: Marys Hope Rd
Direction: 1 - North bound, A trigger first. Lane: 0
Survey Duration: 17:00 Wednesday, 12 February 2020 => 13:40 Wednesday, 26 February 2020,
Zone:
File: MAR1608 0 2020-02-26 1340.EC0 (Plus)
Identifier: QV35XQ4D MC5900-X13 (c)MetroCount 09Nov16
Algorithm: Factory default axle (v5.06)
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Filter time: 17:00 Wednesday, 12 February 2020 => 13:40 Wednesday, 26 February 2020 (13.8614)
Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12
Speed range: 10 - 160 km/h.
Direction: North, East, South, West (bound), P = North, Lane = 0-16
Separation: Headway > 0 sec, Span 0 - 100 metre
Name: Default Profile
Scheme: Vehicle classification (AustRoads94)
Units: Metric (metre, kilometre, m/s, km/h, kg, tonne)
In profile: Vehicles = 39391 / 39405 (99.96%)

Speed Statistics by Hour

SpeedStatHour-76

Site: MAR1608.0.0N
Description: 190 Marys Hope Rd Rosetta
Filter time: 17:00 Wednesday, 12 February 2020 => 13:40 Wednesday, 26 February 2020
Scheme: Vehicle classification (AustRoads94)
Filter: CIs(1-12) Dir(NESW) Sp(10,160) Headway(>0) Span(0 - 100) Lane(0-16)

Vehicles = 39391
Posted speed limit = 60 km/h, Exceeding = 23885 (60.64%), Mean Exceeding = 65.39 km/h
Maximum = 140.6 km/h, Minimum = 11.4 km/h, Mean = 61.1 km/h
85% Speed = 67.50 km/h, 95% Speed = 71.82 km/h, Median = 61.56 km/h
20 km/h Pace = 52 - 72, Number in Pace = 34195 (86.81%)
Variance = 55.00, Standard Deviation = 7.42 km/h

Hour Bins (Partial days)

Time	Bin	Min	Max	Mean	Median	85%	95%	>PSL 60 km/h
0000	133 0.338%	17.5	81.9	57.8	57.6	65.8	73.5	50 37.59%
0100	85 0.216%	35.2	78.0	61.5	62.5	68.2	73.7	54 63.53%
0200	62 0.157%	39.9	89.9	60.0	60.2	64.6	74.5	33 53.23%
0300	65 0.165%	36.6	79.1	60.9	61.9	69.9	75.6	36 55.38%
0400	110 0.279%	35.6	99.9	57.5	58.1	67.7	72.2	43 39.09%
0500	285 0.724%	26.5	90.6	59.3	59.9	68.2	73.7	140 49.12%
0600	857 2.176%	20.5	89.9	59.9	59.9	67.9	74.5	422 49.24%
0700	2244 5.697%	17.8	83.2	61.3	61.6	67.1	71.5	1409 62.79%
0800	3206 8.139%	19.1	90.4	60.7	61.0	66.4	69.8	1900 59.26%
0900	2348 5.961%	11.4	103.1	61.1	61.6	67.3	71.5	1436 61.16%
1000	2341 5.943%	14.7	92.1	60.8	61.0	66.6	71.4	1350 57.67%
1100	2594 6.585%	15.8	91.4	60.1	61.0	67.0	70.9	1466 56.52%
1200	2637 6.694%	14.5	111.0	61.2	61.6	67.5	72.0	1607 60.94%
1300	2572 6.529%	18.9	106.5	60.3	61.6	68.0	72.2	1525 59.29%
1400	2959 7.512%	16.0	140.6	60.7	61.4	67.5	72.0	1760 59.48%
1500	3453 8.766%	19.5	107.4	61.8	61.9	68.0	72.4	2218 64.23%
1600	3354 8.515%	20.0	109.9	62.5	62.5	68.2	72.4	2279 67.95%
1700	3463 8.791%	24.3	87.1	62.4	62.5	68.0	72.3	2345 67.72%
1800	2327 5.907%	18.0	115.6	62.0	62.1	68.2	72.1	1490 64.03%
1900	1635 4.151%	28.9	132.4	61.6	61.7	67.9	72.2	1017 62.20%
2000	1254 3.183%	17.8	116.4	60.0	60.1	66.7	71.5	639 50.96%
2100	773 1.962%	28.8	117.5	58.7	59.0	66.2	71.5	350 45.28%
2200	398 1.010%	22.5	98.6	58.9	59.9	68.8	74.9	194 48.74%
2300	236 0.599%	19.6	120.8	59.4	60.3	67.2	74.9	122 51.69%
----	39391 100.0%	11.4	140.6	61.1	61.6	67.5	71.8	23885 60.64%